



Full wall system
Skolan Safe®: Soundproof pipe system
Delivery range 2022

Version 01/2022



Skolan
safe®

Gebr. Ostendorf Kunststoffe GmbH

Rudolf-Diesel-Straße 6-8 · 49377 Vechta · Germany

Tel. +49 (0) 4441 874-10 · Fax +49 (0) 4441 874-15

verkauf@ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

WHAT YOU CAN COUNT ON:

Service through and through...

CONTACT PERSONS

Please visit our website: www.ostendorf-kunststoffe.com

QUALITY PRODUCTS MADE IN GERMANY



Factory in Vechta



Factory in Emstek



Factory in Rain am Lech

RELIABLE ORDER PROCESSING



EDI
Reception of orders



Binding
delivery dates



Order picking



Transport of goods

ALSO OFFERED BY OSTENDORF



Premium quality
for a top price!



Custom solutions
according to client
requirements



DIGITALIZATION

Catalogs on www.oxomi.de 

Technical product data on open datacheck 

VOB conform tendering on www.stlb-bau-online.de 

All tender specifications on AUSSCHREIBEN.DE

BIM-Revit-Data on www.mepcontent.com 

Material properties Skolan Safe®

Soundproof pipe system

Commerical Name

Ostendorf Skolan Safe®

Material

mineral-reinforced polypropylene (PP)

- normal inflammability as per DIN 4102 B2

DIBt-approval Z-42.1-217

tested on the basis of **ÖNORM EN 1451-1**

Application

Soundproof pipe system

Drainage until the transfer chamber as

- waste water pipe
- rain water pipe
- ventilation pipe (see also areas of application DIN 1986-4)

Nominal diameters (DN/OD)

58 / 78 / 90 / 110 / 135 / 160 / 200

Installation

DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100

Colour

Light grey RAL 7035

Seal

Patented 3 lip seal, factory inlaid SBR lip seal acc. to DIN 681

Chemical Resistance

Discharge of aggressive media in the range pH2-pH12
(see also www.ostendorf-kunststoffe.com)

Marking Pipes and Fittings

Permanent marking with manufacturer label, Skolan Safe, nominal diameter, approval No. Z-42.1-217, date of manufacture, material, building material class (fire behaviour)

- Fittings additionally bear information about the nominal angle

Sound insulation


Measured value 17 dB (A)

Sound insulation test according to DIN EN 14366 (Fraunhofer Institute)

Noise emission at 4 litres volume flow to measurement with Bismat 1000 (P-BA 221/2016)

Central vacuum cleaning system

Test certificate of the State Material Testing Institute Darmstadt



DN/OD	s (mm)	D (mm)	A+C (mm)	L (mm)
58	4,0	78	60	150 – 3000
78	4,5	98	57	150 – 3000
90	4,5	111	57	150 – 3000
110	5,3	135	74	150 – 3000
135	5,3	161	70	150 – 3000
160	5,3	193	91	150 – 3000
200	6,2	239	112	150 – 3000

You may find the technical data sheets regarding our products on our website: www.ostendorf-kunststoffe.com



SKOLANSafeEM – Single socket pipe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332000	SKOLANSafeEM DN/OD 58 x 150 mm	4052836320001	18	18	432
332010	SKOLANSafeEM DN/OD 58 x 250 mm	4052836320100	20	20	320
332020	SKOLANSafeEM DN/OD 58 x 500 mm	4052836320209	12	12	192
332040	SKOLANSafeEM DN/OD 58 x 1000 mm	4052836320407	1		114
332060	SKOLANSafeEM DN/OD 58 x 2000 mm	4052836320605	1		114
332070	SKOLANSafeEM DN/OD 58 x 3000 mm	4052836320704	1		114
333000	SKOLANSafeEM DN/OD 78 x 150 mm	4052836330000	10	10	240
333010	SKOLANSafeEM DN/OD 78 x 250 mm	4052836330109	14	14	224
333020	SKOLANSafeEM DN/OD 78 x 500 mm	4052836330208	16	16	128
333040	SKOLANSafeEM DN/OD 78 x 1000 mm	4052836330406	1		70
333060	SKOLANSafeEM DN/OD 78 x 2000 mm	4052836330604	1		70
333070	SKOLANSafeEM DN/OD 78 x 3000 mm	4052836330703	1		70
334000	SKOLANSafeEM DN/OD 90 x 150 mm	4052836340009	26	26	208
334010	SKOLANSafeEM DN/OD 90 x 250 mm	4052836340108	18	18	144
334020	SKOLANSafeEM DN/OD 90 x 500 mm	4052836340207	12	12	96
334040	SKOLANSafeEM DN/OD 90 x 1000 mm	4052836340405	1		60
334060	SKOLANSafeEM DN/OD 90 x 2000 mm	4052836340603	1		60
334070	SKOLANSafeEM DN/OD 90 x 3000 mm	4052836340702	1		60
335000	SKOLANSafeEM DN/OD 110 x 150 mm	4052836350008	20	20	160
335010	SKOLANSafeEM DN/OD 110 x 250 mm	4052836350107	12	12	96
335020	SKOLANSafeEM DN/OD 110 x 500 mm	4052836350206	8	8	64
335040	SKOLANSafeEM DN/OD 110 x 1000 mm	4052836350404	1		40
335060	SKOLANSafeEM DN/OD 110 x 2000 mm	4052836350602	1		40
335070	SKOLANSafeEM DN/OD 110 x 3000 mm	4052836350701	1		40
336000	SKOLANSafeEM DN/OD 135 x 150 mm	4052836360007	1		120
336010	SKOLANSafeEM DN/OD 135 x 250 mm	4052836360106	1		96
336020	SKOLANSafeEM DN/OD 135 x 500 mm	4052836360205	1		48
336040	SKOLANSafeEM DN/OD 135 x 1000 mm	4052836360403	1		24
336060	SKOLANSafeEM DN/OD 135 x 2000 mm	4052836360601	1		24
336070	SKOLANSafeEM DN/OD 135 x 3000 mm	4052836360700	1		24
337000	SKOLANSafeEM DN/OD 160 x 150 mm	4052836370006	1		84
337010	SKOLANSafeEM DN/OD 160 x 250 mm	4052836370105	1		48
337020	SKOLANSafeEM DN/OD 160 x 500 mm	4052836370204	1		35
337040	SKOLANSafeEM DN/OD 160 x 1000 mm	4052836370402	1		21
337060	SKOLANSafeEM DN/OD 160 x 2000 mm	4052836370600	1		21
337070	SKOLANSafeEM DN/OD 160 x 3000 mm	4052836370709	1		21
338000	SKOLANSafeEM DN/OD 200 x 150 mm	4052836380005	1		45
338010	SKOLANSafeEM DN/OD 200 x 250 mm	4052836380104	1		30
338020	SKOLANSafeEM DN/OD 200 x 500 mm	4052836380203	1		20
338040	SKOLANSafeEM DN/OD 200 x 1000 mm	4052836380401	1		15
338060	SKOLANSafeEM DN/OD 200 x 2000 mm	4052836380609	1		15
338070	SKOLANSafeEM DN/OD 200 x 3000 mm	4052836380708	1		15

SKOLANSafeGL – Plain end pipe



No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332080	SKOLANSafeGL DN/OD 58 x 3000 mm without socket	4052836320803	1		114
333080	SKOLANSafeGL DN/OD 78 x 3000 mm without socket	4052836330802	1		70
334080	SKOLANSafeGL DN/OD 90 x 3000 mm without socket	4052836340801	1		60
335080	SKOLANSafeGL DN/OD 110 x 3000 mm without socket	4052836350800	1		40
336080	SKOLANSafeGL DN/OD 135 x 3000 mm without socket	4052836360809	1		24
337080	SKOLANSafeGL DN/OD 160 x 3000 mm without socket	4052836370808	1		21
338080	SKOLANSafeGL DN/OD 200 x 3000 mm without socket	4052836380807	1		15

SKOLANSafeB – Bend



15 Degrees

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332100	SKOLANSafeB Bend DN/OD 58 15 Degrees	4052836321008	1	24	576
332110	SKOLANSafeB Bend DN/OD 58 30 Degrees	4052836321107	1	24	576
332120	SKOLANSafeB Bend DN/OD 58 45 Degrees	4052836321206	1	22	528
332130	SKOLANSafeB Bend DN/OD 58 67,5 Degrees	4052836321305	1	20	480
332140	SKOLANSafeB Bend DN/OD 58 87,5 Degrees	4052836321404	1	20	480



30 Degrees

333100	SKOLANSafeB Bend DN/OD 78 15 Degrees	4052836331007	1	50	400
333110	SKOLANSafeB Bend DN/OD 78 30 Degrees	4052836331106	1	50	400
333120	SKOLANSafeB Bend DN/OD 78 45 Degrees	4052836331205	1	48	384
333130	SKOLANSafeB Bend DN/OD 78 67,5 Degrees	4052836331304	1	44	352
333140	SKOLANSafeB Bend DN/OD 78 87,5 Degrees	4052836331403	1	42	336



45 Degrees

334100	SKOLANSafeB Bend DN/OD 90 15 Degrees	4052836341006	1	42	336
334110	SKOLANSafeB Bend DN/OD 90 30 Degrees	4052836341105	1	40	320
334120	SKOLANSafeB Bend DN/OD 90 45 Degrees	4052836341204	1	34	272
334140	SKOLANSafeB Bend DN/OD 90 87,5 Degrees	4052836341402	1	30	240



67,5 Degrees

335100	SKOLANSafeB Bend DN/OD 110 15 Degrees	4052836351005	1	24	192
335110	SKOLANSafeB Bend DN/OD 110 30 Degrees	4052836351104	1	24	192
335120	SKOLANSafeB Bend DN/OD 110 45 Degrees	4052836351203	1	22	176
335130	SKOLANSafeB Bend DN/OD 110 67,5 Degrees	4052836351302	1	20	160
335140	SKOLANSafeB Bend DN/OD 110 87,5 Degrees	4052836351401	1	18	144



87,5 Degrees

336100	SKOLANSafeB Bend DN/OD 135 15 Degrees	4052836361004	1	16	128
336110	SKOLANSafeB Bend DN/OD 135 30 Degrees	4052836361103	1	16	128
336120	SKOLANSafeB Bend DN/OD 135 45 Degrees	4052836361202	1	16	128
336140	SKOLANSafeB Bend DN/OD 135 87,5 Degrees	4052836361400	1	12	96

337100	SKOLANSafeB Bend DN/OD 160 15 Degrees	4052836371003	1	12	72
337110	SKOLANSafeB Bend DN/OD 160 30 Degrees	4052836371102	1	10	60
337120	SKOLANSafeB Bend DN/OD 160 45 Degrees	4052836371201	1	8	48
337140	SKOLANSafeB Bend DN/OD 160 87,5 Degrees	4052836371409	1	8	48

338100	SKOLANSafeB Bend DN/OD 200 15 Degrees	4052836381002	1		40
338110	SKOLANSafeB Bend DN/OD 200 30 Degrees	4052836381101	1		38
338120	SKOLANSafeB Bend DN/OD 200 45 Degrees	4052836381200	1		38
338150	SKOLANSafeB Bend DN/OD 200 87,5 Degrees	4052836121196	1		29

SKOLANSafeEA – Branch



87,5 Degrees



67,5 Degrees



45 Degrees

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332200	SKOLANSafeEA Branch DN/OD 58/58 45 Degrees	4052836322005	1	40	320
332300	SKOLANSafeEA Branch DN/OD 58/58 67,5 Degrees	4052836323002	1	44	352
332400	SKOLANSafeEA Branch DN/OD 58/58 87,5 Degrees	4052836324009	1	48	384
333210	SKOLANSafeEA Branch DN/OD 78/58 45 Degrees	4052836332103	1	26	208
333310	SKOLANSafeEA Branch DN/OD 78/58 67,5 Degrees	4052836333100	1	32	256
333410	SKOLANSafeEA Branch DN/OD 78/58 87,5 Degrees	4052836334107	1	34	272
333200	SKOLANSafeEA Branch DN/OD 78/78 45 Degrees	4052836332004	1	20	160
333300	SKOLANSafeEA Branch DN/OD 78/78 67,5 Degrees	4052836333001	1	22	176
333400	SKOLANSafeEA Branch DN/OD 78/78 87,5 Degrees	4052836334008	1	26	208
334220	SKOLANSafeEA Branch DN/OD 90/58 45 Degrees	4052836342201	1	24	192
334420	SKOLANSafeEA Branch DN/OD 90/58 87,5 Degrees	4052836344205	1	26	208
334210	SKOLANSafeEA Branch DN/OD 90/78 45 Degrees	4052836342102	1	18	144
334410	SKOLANSafeEA Branch DN/OD 90/78 87,5 Degrees	4052836344106	1	22	176
334200	SKOLANSafeEA Branch DN/OD 90/90 45 Degrees	4052836342003	1	16	128
334400	SKOLANSafeEA Branch DN/OD 90/90 87,5 Degrees	4052836344007	1	16	128
335220	SKOLANSafeEA Branch DN/OD 110/58 45 Degrees	4052836352200	1	14	112
335320	SKOLANSafeEA Branch DN/OD 110/58 67,5 Degrees	4052836353207	1	18	144
335420	SKOLANSafeEA Branch DN/OD 110/58 87,5 Degrees	4052836354204	1	18	144
335210	SKOLANSafeEA Branch DN/OD 110/78 45 Degrees	4052836352101	1	12	96
335310	SKOLANSafeEA Branch DN/OD 110/78 67,5 Degrees	4052836353108	1	14	112
335410	SKOLANSafeEA Branch DN/OD 110/78 87,5 Degrees	4052836354105	1	14	112
335230	SKOLANSafeEA Branch DN/OD 110/90 45 Degrees	4052836121271	1	10	80
335430	SKOLANSafeEA Branch DN/OD 110/90 87,5 Degrees	4052836121257	1	10	80
335200	SKOLANSafeEA Branch DN/OD 110/110 45 Degrees	4052836352002	1	9	72
335300	SKOLANSafeEA Branch DN/OD 110/110 67,5 Degrees	4052836353009	1	10	80
335400	SKOLANSafeEA Branch DN/OD 110/110 87,5 Degrees	4052836354006	1	10	80
336210	SKOLANSafeEA Branch DN/OD 135/110 45 Degrees	4052836362100	1	7	56
336410	SKOLANSafeEA Branch DN/OD 135/110 87,5 Degrees	4052836364104	1	8	64
336200	SKOLANSafeEA Branch DN/OD 135/135 45 Degrees	4052836362001	1	5	40
336400	SKOLANSafeEA Branch DN/OD 135/135 87,5 Degrees	4052836364005	1	7	56
337210	SKOLANSafeEA Branch DN/OD 160/110 45 Degrees	4052836372109	1	6	36
337410	SKOLANSafeEA Branch DN/OD 160/110 87,5 Degrees	4052836374103	1	6	36
337200	SKOLANSafeEA Branch DN/OD 160/160 45 Degrees	4052836372000	1	4	24
337400	SKOLANSafeEA Branch DN/OD 160/160 87,5 Degrees	4052836374004	1	5	30
338230	SKOLANSafeEA Branch DN/OD 200/110 45 Degrees	4052836120540	1		28
338430	SKOLANSafeEA Branch DN/OD 200/110 87,5 Degrees	4052836121134	1		30
338210	SKOLANSafeEA Branch DN/OD 200/160 45 Degrees	4052836382108	1		20
338410	SKOLANSafeEA Branch DN/OD 200/160 87,5 Degrees	4052836121165	1		26
338200	SKOLANSafeEA Branch DN/OD 200/200 45 Degrees	4052836382009	1		14



SKOLANSafeAM – Single socket

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332810	SKOLANSafeAM Single socket DN/OD 58	4052836328106	1	24	576
333810	SKOLANSafeAM Single socket DN/OD 78	4052836338105	1	60	480
334810	SKOLANSafeAM Single socket DN/OD 90	4052836348104	1	44	352
335810	SKOLANSafeAM Single socket DN/OD 110	4052836358103	1	36	288
336810	SKOLANSafeAM Single socket DN/OD 135	4052836368102	1	16	128
337810	SKOLANSafeAM Single socket DN/OD 160	4052836378101	1	20	120
338810	SKOLANSafeAM Single socket DN/OD 200	4052836388100	1		45



SKOLANSafeMM – Double socket

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332510	SKOLANSafeMM Double socket DN/OD 58	4052836081551	1	44	704
333510	SKOLANSafeMM Double socket DN/OD 78	4052836081582	1	64	512
334510	SKOLANSafeMM Double socket DN/OD 90	4052836081612	1	52	416
335510	SKOLANSafeMM Double socket DN/OD 110	4052836081636	1	28	224
336510	SKOLANSafeMM Double socket DN/OD 135	4052836081667	1	20	160
337510	SKOLANSafeMM Double socket DN/OD 160	4052836081698	1	16	96
338510	SKOLANSafeMM Double socket DN/OD 200	4052836081728	1		50



SKOLANSafeL – Long socket

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335930	SKOLANSafeL Long socket DN/OD 110	4052836359308	1	18	144



SKOLANSafeM – Plug

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332620	SKOLANSafeM Plug DN/OD 58	4052836326201	1	60	1440
333620	SKOLANSafeM Plug DN/OD 78	4052836336200	1	36	864
334620	SKOLANSafeM Plug DN/OD 90	4052836346209	1	76	1216
335620	SKOLANSafeM Plug DN/OD 110	4052836356208	1	60	480
336620	SKOLANSafeM Plug DN/OD 135	4052836366207	1	40	320
337620	SKOLANSafeM Plug DN/OD 160	4052836376206	1	40	240
338620	SKOLANSafeM Plug DN/OD 200	4052836386205	1	20	120



SKOLANSafeU – Coupler

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332500	SKOLANSafeU Coupler DN/OD 58	4052836325006	1	44	704
333500	SKOLANSafeU Coupler DN/OD 78	4052836335005	1	64	512
334500	SKOLANSafeU Coupler DN/OD 90	4052836345004	1	52	416
335500	SKOLANSafeU Coupler DN/OD 110	4052836355003	1	28	224
336500	SKOLANSafeU Coupler DN/OD 135	4052836365002	1	20	160
337500	SKOLANSafeU Coupler DN/OD 160	4052836375001	1	16	96
338500	SKOLANSafeU Coupler DN/OD 200	4052836385000	1		50



SKOLANSafe – Connection to HT Safe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333830	SKOLANSafe Connection to HT Safe DN/OD 75	4052836338303	1	20	480
336820	SKOLANSafe Connection to HT Safe/KG DN/OD 125	4052836368201	1	16	128



Skolan Safe – Transition sleeve

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
910833	SKOLANSafe Transition sleeve Skolan Safe 58 / HT Safe 50 mm	4052836086754	20	20	2560



45 Degrees



87,5 Degrees

SKOLANSafeEA – Branch/Transition to HT Safe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet	
334230	SKOLANSafeEA Branch DN/OD 90/50 45 Degrees Transition to HT Safe	4052836136374	1	24	192	NEW!
334430	SKOLANSafeEA Branch DN/OD 90/50 87,5 Degrees Transition to HT Safe	4052836136404	1	26	208	NEW!
335240	SKOLANSafeEA Branch DN/OD 110/50 45 Degrees Transition to HT Safe	4052836124739	1	14	112	
335440	SKOLANSafeEA Branch DN/OD 110/50 87,5 Degrees Transition to HT Safe	4052836124791	1	18	144	



SKOLANSafeDA – Double branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333900	SKOLANSafeDA Double branch DN/OD 78/78/78 87,5 Degrees	4052836121325	1	20	160
334900	SKOLANSafeDA Double branch DN/OD 90/90/90 87,5 Degrees (swept)*	4052836349002	1	10	80
335900	SKOLANSafeDA Double branch DN/OD 110/110/110 87,5 Degrees (swept)*	4052836359001	1	8	64

*with improved branch design for a better flow



SKOLANSafeED – Double corner branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
334910	SKOLANSafeED Double corner branch DN/OD 90/90/90 87,5 Degrees	4052836349101	1		108
335910	SKOLANSafeED Double corner branch DN/OD 110/110/110 87,5 Degrees	4052836359100	1	10	80



SKOLANSafeEP – Corner branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335975	SKOLANSafeEP Corner branch DN/OD 110/110/78/87,5 Degrees left	4025075373756	1		60
335985	SKOLANSafeEP Corner branch DN/OD 110/110/78/87,5 Degrees right	4025075373855	1		60



SKOLANSafeDDA – Double branch for showers

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
334670	Skolan Safe-DDA Double branch for showers DN/OD 90/90/58	4052836103123	1		25
334680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 90/90/58	4052836103161	1		25
334690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 90/90/58	4052836103208	1		25
335670	Skolan Safe-DDA Double branch for showers DN/OD 110/110/58	4052836103246	1		25
335680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 110/110/58	4052836103284	1		25
335690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 110/110/58	4052836103321	1		25



SKOLANSafePA – Parallel branch

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335920	SKOLANSafePA Parallel branch DN/OD 110/110	4052836359209	1	10	80



SKOLANSafeSW – Siphon bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335940	SKOLANSafeSW Siphon bend DN/OD 58/40	4052836359407	1	54	1296



SKOLANSafeR – Reducer

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
333710	SKOLANSafeR Reducer DN/OD 78/58	4052836337108	1	20	480
334720	SKOLANSafeR Reducer DN/OD 90/58	4052836347206	1	100	800
334710	SKOLANSafeR Reducer DN/OD 90/78	4052836347107	1	58	464
335720	SKOLANSafeR Reducer DN/OD 110/58	4052836357205	1	52	416
335710	SKOLANSafeR Reducer DN/OD 110/78	4052836357106	1	52	416
335700	SKOLANSafeR Reducer DN/OD 110/90	4052836357007	1	36	288
336710	SKOLANSafeR Reducer DN/OD 135/110	4052836367105	1	22	176
337710	SKOLANSafeR Reducer DN/OD 160/110	4052836377104	1	20	160
337700	SKOLANSafeR Reducer DN/OD 160/135	4052836377005	1	14	112
338710	SKOLANSafeR Reducer DN/OD 200/160	4052836387103	1	10	60



SKOLANSafe Reducer HT

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332750	SKOLANSafe Reducer HT DN/OD 58/40	4052836327505	1	50	1200
333750	SKOLANSafe Reducer HT DN/OD 78/50	4052836337504	1	100	800



SKOLANSafeRE – Inspection pipe

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
332600	SKOLANSafeRE Inspection pipe DN/OD 58	4052836326003	1	32	512
333600	SKOLANSafeRE Inspection pipe DN/OD 78	4052836336002	1	36	288
334600	SKOLANSafeRE Inspection pipe DN/OD 90	4052836346001	1	9	216
335600	SKOLANSafeRE Inspection pipe DN/OD 110	4052836356000	1	10	80
336600	SKOLANSafeRE Inspection pipe DN/OD 135	4052836366009	1		40
337600	SKOLANSafeRE Inspection pipe DN/OD 160	4052836376008	1		40
338600	SKOLANSafeRE Inspection pipe DN/OD 200	4052836386007	1		20





SKOLANSafeLB – Long bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
335960	SKOLANSafeLB Long bend DN/OD 110 45 Degrees	4052836359605	1	12	96



Skolan Safe – Replacement lip seal SBR

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
880605	Replacement lip seal SBR DN/OD 58 (Skolan Safe)	4052836806055	1		
880615	Replacement lip seal SBR DN/OD 78 (Skolan Safe)	4052836014054	1		
880047	Replacement lip seal SBR DN/OD 90 (HT Safe, Skolan Safe)	4052836003768	1		
880635	Replacement lip seal SBR DN/OD 110 (Skolan Safe fitting)	4052836014191	1		
880400	Replacement lip seal SBR DN/OD 110 (KG2000, Skolan Safe pipe)	4052836804006	1		
880645	Replacement lip seal SBR DN/OD 135 (Skolan Safe)	4052836014238	1		
880420	Replacement lip seal SBR DN/OD 160 (KG2000, Skolan Safe)	4052836804204	1		
880430	Replacement lip seal SBR DN/OD 200 (KG2000, Skolan Safe)	4052836804303	1		



Skolan Safe – Replacement lip seal NBR (resistant against oils)

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
880705	Replacement lip seal NBR DN/OD 58 (Skolan Safe)	4052836014252	1		
880715	Replacement lip seal NBR DN/OD 78 (Skolan Safe)	4052836014276	1		
880247	Replacement lip seal NBR DN/OD 90 (HT Safe, Skolan Safe)	4052836004109	1		
880260	Replacement lip seal NBR DN/OD 110 (KG PVC SN 4, Skolan Safe fitting, HT Safe)	4052836802620	1		
880500	Replacement lip seal NBR DN/OD 110 (KG2000, Skolan Safe pipe)	4052836805003	1		
880745	Replacement lip seal NBR DN/OD 135 (Skolan Safe)	4052836014313	1		
880520	Replacement lip seal NBR DN/OD 160 (KG2000, Skolan Safe)	4052836805201	1		
880530	Replacement lip seal NBR DN/OD 200 (KG2000, Skolan Safe)	4052836805300	1		



Skolan Safe – Gasket for siphon bend

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881210	Gasket for siphon bend DN/OD 40/30 B	4052836812100	1	20	
881220	Gasket for siphon bend DN/OD 40/40 C	4052836812209	1	20	



Skolan Safe – Pullout-protection

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881505	Pullout-protection DN/OD 58	4052836815057	1	50	
881515	Pullout-protection DN/OD 78	4052836815156	1	30	
881520	Pullout-protection DN/OD 90	4052836815200	1	20	
881535	Pullout-protection DN/OD 110	4052836086808	1	26	
881545	Pullout-protection DN/OD 135	4052836815453	1	15	
881580	Pullout-protection DN/OD 160	4052836815804	1	10	
881585	Pullout-protection DN/OD 200	4052836815859	1	10	




Skolan Safe – Safety clamps for plugs

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
839010	Safety clamps for plugs DN/OD 58	4052836390103	1		
839020	Safety clamps for plugs DN/OD 78	4052836390202	1		
839030	Safety clamps for plugs DN/OD 90	4052836390301	1		
839040	Safety clamps for plugs DN/OD 110	4052836390400	1		
839050	Safety clamps for plugs DN/OD 135	4052836390509	1		
839060	Safety clamps for plugs DN/OD 160	4052836390608	1		
839070	Safety clamps for plugs DN/OD 200	4052836390707	1		




Skolan Safe – Lubricant

No.	Description	EAN	Minimum purchase quantity	Unit/crt	Unit/pallet
881800	Lubricant 150 ml	4052836818003	1	50	
881810	Lubricant 250 ml	4052836818102	1	50	
881820	Lubricant 500 ml	4052836818201	1	24	
881830	Lubricant 1.000 ml	4052836818300	1	12	
881840	Lubricant 3.000 ml bucket	4052836123749	1	1	







One thing is safe.



Gebr. Ostendorf Kunststoffe GmbH

