


Quality Fastening Technology



► **New Web Site:** www.leifeld.de

► **Technical Data:** wiki.leifeld.de

►  www.facebook.com/Heinrich.Leifeld.GmbH

►  www.youtube.com/HeinrichLeifeldGmbH



SCAN ME

instant access to:

- Order system
- Product instructions
- Product videos
- Example applications
- Technical data sheets
- Product related documents

LEIFELD Strap Part #1200



The core of our system - the **LEIFELD Strap** Part #1200 - enables you to complete a wide variety of installations using one main component. The patented hole matrix allows you to fasten a wide variety of fittings from different manufacturers. Install most popular pipe systems without the need for expensive extra fittings.




More Info



All standard wall-elbows and fittings with 40 mm centres can be used with the **LEIFELD Strap**, no matter which pipework system is used. The **LEIFELD Strap** is also ideal for the installation of concealed service valves. Paired fittings can also be fixed quickly, at precisely the right height.

Also available in V4 Stainless Steel Part #1400 (see page 27)



Watch on
You Tube



The **LEIFELD Bending Pliers** can either be used „freehand“ or secured in a vice.



More Info

simple &
exact

LEIFELD Bending Pliers Part #1222



Watch on

You Tube



To bend an angle greater than 90° (in this example 135°) either swap the position of the left-hand grip or mount in a vice and remove the left-hand grip.


Forming the **LEIFELD Strap** using the Bending Pliers

Example

50 mm

Bracket height


For accurate angles, ensure that the Strap rests squarely on these surfaces



This mark indicates the outside edge of the finished bracket







Bend the final 45° angle and the wall-bracket is complete!



The Strap helps you to locate the exact point to bend.






1 LEIFELD Strap 1000 possibilities





find more examples at:
www.leifeld.de



LEIFELD Cable-Clamp Part #1053




More Info


A syphon can be easily fitted to the **LEIFELD Strap** by utilizing a pipe-clamp and the **LEIFELD Cable-Clamp** (included in the **LEIFELD Accessory Boxes** Part #1231 and Part #1235).

Watch on

You Tube



Example



Cable-clamp

Rear view

LEIFELD Sound-Shield Part #1290



More Info


Effective sound insulation with a single component: the **LEIFELD Sound-Shield** forms an effective, easy to fit sound barrier reducing noise transmission in pipe installations.

LEIFELD Sound-Cap Part #1295



More Info

The **LEIFELD Sound-Cap** is compatible with all standard 1/2" concealed valves and clips mounted centrally on the Sound-Shield. No need to spend time filling gaps.




Watch on

YouTube



LEIFELD Backing Plate Part #1280



The **LEIFELD Backing Plates** allow a multitude of accessories to be accurately and securely fitted to the **LEIFELD Strap**.

For self-tapping screws 4,2 x 16 mm


- for wall-elbows with 40 mm centres



More Info

Watch on

YouTube





NEW: Threaded for M5 screws!

- for wall-elbows with 40 mm centres



More Info

LEIFELD Threaded Backing Plate Part #1279



By securing the elbow in the slotted holes in the strap at (A) allows the centres (B) to be set between 146 - 173 mm

LEIFELD Start-Set Part #1209



More Info

| 20,8 m **LEIFELD Strap** Part #1219
(enough for at least 40 installations)

| 1 **Accessory Kit** Part #1235 complete with
LEIFELD Pliers Part #1222 and a range
of fittings.

The cost-effective
introductory set with
unbeatable versatility!



| 20,8 m **LEIFELD Strap** Part #1219
(enough for at least 40 installations)

| 1 **Sortimo L-BOXX** Part #1231 complete with
LEIFELD Pliers Part #1222 and a large selection
of fittings.

LEIFELD Profi Start-Set Part #1203




More Info

The professional introductory
set with 20,8 m LEIFELD Strap
and Sortimo L-BOXX!



LEIFELD MultiMount



More Info

Secure fittings on all standard sanitary centres either in or in front of the wall


- for standard centres 160, 153, 120, 100 u. 80 mm
- pre-formed
- mounting height/depth 50 mm, 33 mm or flat
- accepts all wall-elbows with 40 mm centres
- pre-drilled to secure a waste pipe with the **LEIFELD Cable-Clamp Part #1053**
- pre-stamped with standard centres
- use with the **LEIFELD Sound-Shield Part #1290** for effective sound insulation
- use with the **LEIFELD Backing Plates Part #1279 oder Part #1280**

Secure fittings on all standard sanitary centres with just one mount!

use with the LEIFELD Sound-Shield Part #1290 and LEIFELD Backing Plates Part #1279, Part #1280



pre-stamped with standard centres



mounting height/depth 33 mm and 50 mm


Watch on

You Tube




LEIFELD MultiMount

NEW!




LEIFELD MultiMount flat Part #1230

Mounting height/depth			
50 mm	33 mm	flat	Screw set
# 1250	# 1251	# 1230	# 1252



for wall-elbows with 40 mm centres



LEIFELD SaniMount




More Info

Secure fittings on the centres 153, 120, 100 or 80 mm either in or in front of the wall

- pre-threaded M5 to accept wall-elbows
- pre-formed
- mounting height/depth 50 mm, 33 mm or flat
- accepts all wall-elbows with 40 mm centres
- pre-drilled to secure a waste pipe with the **LEIFELD Cable-Clamp** Part #1053
- allows fittings to be rotated in steps of 22,5 °
- use with the **LEIFELD Sound-Shield Nr. 1290** for effective sound insulation



for wall-elbows with 40 mm centres



use with the LEIFELD Sound-Shield Part #1290



pre-threaded M5



mounting height/depth
33 mm and 50 mm

Watch on

You Tube




LEIFELD SaniMount


Centres	Mounting height/depth			Screw set
	50 mm	33 mm	flat	
153 mm	# 1714	# 1700	# 1728	# 1034
120 mm	# 1715	# 1701	# 1729	# 1034
100 mm	# 1716	# 1702	# 1730	# 1034
80 mm	# 1717	# 1703	# 1731	# 1034
UniMount	# 1727	# 1726	-	# 1034
JRG Sanipex	# 1732	-	# 1733	# 1046



LEIFELD SaniMount flat
centrally mounted
Centre: 153 mm
Part #1725




LEIFELD UniMount




NEW!

LEIFELD SaniMount flat
Centres: 153, 120, 100, 80 mm
Part #1728, 1729, 1730, 1731



LEIFELD SaniMount for JRG Sanipex
Centres: 153, 120, 100, 80 mm
Part #1732 - 50 mm
Part #1733 - flat
pre-threaded M4



LEIFELD UniBlock Part #1273



More Info

A quick reliable way of fitting angle valves & wall-plate elbows in a stud-wall construction. Specifically designed to accept the newer double wallplate elbows. Mount fittings on the standard sanitary centres of 80, 100, 120, 153, or 160 mm. Marine-ply resists warping, so the elbows retain their original positions.
L300 x H70 x D60 mm

- torsion proof fitting of wall-elbows in stud-wall constructions
- accepts fittings from most popular water distribution systems
- pre-drilled for elbows with standard 40 mm centres

Watch on

You Tube



Use with fittings from most popular water distribution systems



Spot...



the professional!


LEIFELD UniBlock on-Site



- precise placement
- parallel connections
- torsion-proof and secure for the long term



- easily fitted in the tightest of spaces
- neat & tidy installation



TECEflex





Aquatherm Fusio



Viega

Template for all standard sanitary dimensions

pre-drilled for wall-elbows
with 40 mm mounting



LEIFELD Mounting Block



More Info

A quick reliable way of fitting angle valves & wall-elbows in a stud-wall construction. Mount fittings at the standard centres of 80, 100 or 153 mm.

The cut-outs allow it to be used with fittings from most popular water distribution systems. Marineply resists warping, so the elbows retain their original positions.

L268 x H68 x D40 mm

Available as:

153mm Part #1285, 100mm Part #1284, 80mm Part #1286

LEIFELD Mounting Block with sound insulation



More Info

This variant of the Mounting Block effectively prevents the transmission of sound by incorporating a 5 mm sound insulation layer.

L268 x H68 x D45 mm

Available as:








153mm Part #1247, 100mm Part #1249, 80mm Part #1248


Watch on

You Tube



Fit wall-elbows quickly and securely in stud-wall constructions!





use with fittings from most popular water distribution systems



LEIFELD C-Profile Part #1300




More Info

LEIFELD C-Profile - Quick, easy fabrication and maximum rigidity. Use on it's own or combine it with the **LEIFELD Strap** in a wide range of applications. Pipe clamps and a large variety of fittings can be installed without the need for expensive special fasteners. Just use standard threaded rod or screws!



LEIFELD Wall Plate Part #1315




Extend the capabilities of the **LEIFELD C-Profile** System with the **LEIFELD C-Brackets**, available in two versions, horizontal or vertical. These are easily fitted, being either bolted or crimped into place. Using this technique, racks and cable trays can be fitted securely into ducts or shafts. The heavy-duty **LEIFELD Wall Plate** complements the **LEIFELD C-Profile** system. Use either as a free-standing support or where extra stability is needed.


LEIFELD C-Brackets (H) Part #1310 and (V) Part #1311




LEIFELD C-Profile fitted both sides with pipe-clamps.




Load Chart for L = 300 mm - 2000 mm



The loads indicated are for reference only and assume that all elements have been installed by a professional.



LEIFELD TraFLEX Bracket



Watch on
You Tube



Allows versatile mounting of sanitary or electrical fittings quickly and simply in metal framed stud-walls. Available as a dedicated bracket for either 50 mm, 75 mm or 100 mm uprights or as a "Multi" which is suitable for all three dimensions.

LEIFELD TraFLEX Bracket - use with **LEIFELD TraFLEX L-Track**, **LEIFELD Strap**, **LEIFELD C-Profile** or a variety of other profiles.

Available as:

100 mm Part #1902

75 mm Part #1903

50 mm Part #1904

Multi (for 50, 75 and 100 mm) Part #1905



More Info



Start by placing the pre-formed angle against the upright




Holding the bracket tightly, start to bend it ..



.. around the upright ..



.. until both ends meet




Now secure either the LEIFELD TraFLEX L-Track, LEIFELD Strap or LEIFELD C-Profile to the bracket



Adjust the height as required and secure the LEIFELD TraFLEX Bracket to the upright

LEIFELD TraFLEX L-Track



Use the **LEIFELD TraFLEX L-Track 570 mm** or **1140 mm** for even more flexibility. Secure between two stud uprights using two suitable brackets. The **LEIFELD TraFLEX L-Track 570 mm** is suitable for stud walls with vertical centres from 625 mm up to 652 mm. Also available is the **LEIFELD TraFLEX L-Track 1140 mm**, simply measure and cut to length using tin snips.



Available as:

570 mm Part #1900

1140 mm Part #1901



More Info




The **LEIFELD TraFLEX L-Track** can also be quickly and easily attached vertically between two horizontally mounted **L-Tracks** (using standard self-tapping screws or 6 mm screws/nuts).


Using this method, accessories can be mounted with precision across the entire length and breadth of the stud-wall construction.



Watch on
You Tube



LEIFELD TraFLEX L-Track




LEIFELD J-Profile M8 Part #1800



For light-weight ceiling and wall installation of piping up to 50 mm in diameter

- quick and easy pipe-clamp fitting using standard M8 nuts
- no requirement for expensive special parts
- versatile hole pattern allows pipe clamps to be fitted from all sides
- secure to ceiling or wall using standard threaded-rods or screws
- ideal for use with wood or plasterboard stud-wall construction



From:

e-Mail:



LEIFELD® Order Form

Please send to bestellung@leifeld.de

Wholesaler:

| 27

Product		Part.#	RG	Pack	Qty.
	LEIFELD Strap 2000 x 50 x 3 mm	1200	1	250 m 500 m 1050 m	
	sendzimir-galvanized, other lengths available Length: 2 m, 0,83 kg/m				
	LEIFELD Strap 1600 x 50 x 3 mm	1219	12	1 bundle 25 bundles	
	sendzimir-galvanized, Length: 1,6 m, 0,83kg/m 1 bundle = 13 pieces = 20,8 m				
	LEIFELD V4A Strap 2000 x 50 x 2,5 mm	1400	2	10 m	
	stainless steel 1.4404, Length: 2 m, 0,72 kg/m				
		1220	3	20 Pieces	
	End cap for the LEIFELD Strap 50x3mm, 30mm long, pvc, red.				
	LEIFELD Bending Pliers use to form the LEIFELD Strap Part #1200, 1219, 1400 either free-hand or in a vice.	1222	4	1 Piece	
		1231	12	1 Piece	
	LEIFELD Sortimo L-BOXX Contents: - 1 Leifeld Bending Pliers - 20 Backing Plates - 6 Sound-Shields - large selection of nuts, screws, washers and studs				
	LEIFELD Accessory Set Contents: - 1 Leifeld Bending Pliers - 10 Backing Plates - 1 Sound-Shields - selection of nuts, screws, washers and studs	1235	2	1 Piece	
		1280	11	50 Pieces	
	LEIFELD Backing Plates mount accessories torsion-proof and centrally onto the LEIFELD Strap using self-tapping screws				
	LEIFELD Threaded Backing Plates mount accessories torsion-proof and centrally onto the LEIFELD Strap using M5 screws Part.# 1034	1279	2	50 Pieces	
		1290	12	20 Pieces	
	LEIFELD Sound Shield for sound-proofing installations, use alone or mount onto the LEIFELD Strap, can be optionally combined with the LEIFELD Sound-Cap (Part.# 1295)				
	LEIFELD Sound Cap Sound insulation for elbow joints, use with the LEIFELD Sound-Shield (Part.# 1290)	1295	11	20 Pieces	
		1800	11	1 Piece	
	LEIFELD J-Profile M8 for light-weight ceiling and wall installation of piping up to 50mm in diameter Length: 1,2 m; 0,73 kg/m				

From:

e-Mail:



LEIFELD® Order Form

Please send to bestellung@leifeld.de

Wholesaler:

	Product	Part.#	RG	Pack Qty.	Qty.
	LEIFELD Multi Mount mount wall-elbows on 80, 100, 120, 153 and 160 mm centres		10	1 Piece	
	LEIFELD Multi Mount 50 mm height/depth	1250			
	LEIFELD Multi Mount 33 mm height/depth	1251			
	LEIFELD Multi Mount flat	1230			
	LEIFELD Screw-Set for the Multi Mount • 50 Pce. panhead screws M5x16 mm Part.# 1034 • 50 Pce. M5 locknuts Part.# 1015	1252	9	1 Paket	
 for wall-elbows with 40 mm centres - pre-threaded M5	LEIFELD SaniMount 33 mm height/depth		5	1 Piece	
	Centres: 153 mm	1700			
	Centres: 120 mm	1701			
	Centres: 100 mm	1702			
	Centres: 80 mm	1703			
	LEIFELD SaniMount 50 mm height/depth			1 Piece	
	Centres: 153 mm	1714			
	Centres: 120 mm	1715			
	Centres: 100 mm	1716			
	Centres: 80 mm	1717			
	LEIFELD SaniMount flat			1 Piece	
	Centres: 153 mm	1728			
	Centres: 120 mm	1729			
	Centres: 100 mm	1730			
	Centres: 80 mm	1731			
	LEIFELD SaniMount flat Centres: 153 mm with central mounting point	1725		1 Piece	
	LEIFELD Unihalter			1 Piece	
	33 mm height/depth	1726			
	50 mm height/depth	1727			
	SaniMount Screw-Set (1 Pack = 100 Pieces) panhead screw M5 phillips crosshead x 16 mm	1034	9	1 Paket	
	LEIFELD JRG Sanipex Halter mount wall-elbows on 80, 100, 120, 153 and 160 mm centres		5	1 Piece	
	50 mm height/depth	1732			
	flat	1733			
	JRG Sanipex Halter Screw-Set (1 Pack = 100 Pieces) Countersunk, PH crosshead, M 4 x 45 mm	1046	9	1 Paket	
	LEIFELD C-Profile 50 x 31 x 3 mm sendzimier galvanized, can be used on its own or in combination with the LEIFELD Strap Length: 2 m, 1,5 kg/m	1300	6	2 m 100 m 800 m	
	LEIFELD C-Bracket H for wall, floor and ceiling installations, use with the LEIFELD C-Profile Part.# 1300	1310		1 Piece	
	LEIFELD C-Bracket V for wall, floor and ceiling installations, use with the LEIFELD C-Profile Part.# 1300	1311			

From:

e-Mail:

Wholesaler:

	Product	Part.#	RG	Pack Qty.	Qty.
	 LEIFELD Wandplatte 100 x 100 x 4 mm heavy-duty wallplate for single-point mounting	1315	6	1 Piece	
	 LEIFELD C-Profile Endkappe protective cap für C-Profile	1320		20 Pieces	
	 LEIFELD UniBlock torsion-proof fitting of double-elbows and elbows in stud walls at the standard sanitary centres of: 80, 100, 120, 153 and 160mm. Marine Ply water resistant to DIN 68704	1273	7	1 Piece	
	LEIFELD Mounting Plate torsion-proof fitting of elbows in stud walls Available for the standard sanitary centres of 153 mm, 100 mm oder 80 mm. Marine Ply water resistant to DIN 68704 Centres: 153 mm 1285 Centres: 100 mm 1284 Centres: 80 mm 1286			1 Piece	
	LEIFELD Mounting Plate as above with 5mm sound insulation layer Centres: 153 mm 1247 Centres: 100 mm 1249 Centres: 80 mm 1248			1 Piece	



	Product	Part.#	RG	Pack Qty.	Qty.
	 LEIFELD TraFLEX L-Track 570mm for simple fitting of sanitary and electrical accessories in dry-wall constructions. Use horizontally between 2 TraFLEX Brackets.	1900	8	1 Piece	
	LEIFELD TraFLEX L-Track 1140mm	1901			
	LEIFELD TraFLEX Bracket with hole matrix for securing the TraFLEX L-Track, LEIFELD Strap, LEIFELD C-Profile or other profiles. for 50 mm dry-wall constructions 1904 for 75 mm dry-wall constructions 1903 for 100 mm dry-wall constructions 1902			20 Pieces	
	 LEIFELD TraFLEX Bracket Multi for 100, 75 and 50mm dry-wall constructions	1905		20 Pieces	
	 TraFlex System Screw-Set • 50 Pce. panhead screws M6x16 mm Part.# 1028 • 50 Pce. lock nuts M6 Part.# 1016	1906		1 Paket	



From:

e-Mail:

Wholesaler:


Order via QR Code

direct from the building site!


Our Service: Orders made before 11.00
sent same day!

Product	Part.#	Qty.	RG	Part.#	Qty.	
	galv. hex. bolt DIN 933 (1 Pack = 100 Pieces)					
	M8 x 10 mm	1035		9	M8 x 40 mm	1043
	M8 x 16 mm	1045			M8 x 60 mm DIN 931	1041
	galv. screw pan-head DIN 7985 PH-x (1 Pack = 100 Pieces)					
	M4 x 16 mm	1027		9	M6 x 16 mm	1028
	M5 x 16 mm	1034				
	galv. washers (1 Pack = 100 Pieces)					
	4,3 x 20 mm	1021		9	6,3 x 20 mm	1023
	5,3 x 20 mm	1022			8,4 x 20 mm	1026
	gal. spring washers (1 Pack = 100 Pieces)					
	A 8 DIN 933	1052		9		
	galv. hex. locknuts (1 Pack = 100 Pieces)					
	M4 mm	1018		9	M6 mm	1016
	M5 mm	1015			M8 mm	1017
	galv. hex. nuts (1 Pack = 100 Pieces)					
	M4 mm	1011		9	M6 mm	1013
	M5 mm	1012			M8 mm	1014
	galv. screw, self-tapping DIN 7981 (1 Pack = 100 Pieces)					
	4,2 x 16 mm	1074		9	4,8 x 16 mm	1075
	4,2 x 22 mm	1076			4,8 x 19 mm	1073
	galv. studs DIN 976 (1 Pack = 100 Pieces)					
	M8 x 20 mm	1038		9	M8 x 40 mm	1040
	M8 x 30 mm	1039			M8 x 60 mm	1079
	galv. cable clamp 6,5 mm = 1,4" DIN 1142 (1 Pack = 50 Pieces)					
	for exact syphon placement with M8 pipe clamp	1053		9		
	Refill pack for the LEIFELD Accessory Sets Part.# 1235 & 1231 (1 Pack = 1 Piece)					
	1 Pack each Part.#: 1015, 1022, 1034, 1053, 1074, 1075 und Backing Plates 1280	1097		9		


.... check us out!




See example applications




Download documents



Get product information



Send an order



Find usage tips



Heinrich Leifeld GmbH
Hauptstraße 35
D-33178 Borcheln
Tel.: +49 (0) 52 51 13 63 - 0
Fax: +49 (0) 52 51 13 63 - 66
e-Mail: info@leifeld.de
www.leifeld.de



[www.youtube.com/
HeinrichLeifeldGmbH](http://www.youtube.com/HeinrichLeifeldGmbH)



[www.facebook.com/
Heinrich.Leifeld.GmbH](http://www.facebook.com/Heinrich.Leifeld.GmbH)

